			mu_
	Application No.	Applicant(s)	
Notice of Allowability	10/039,395	BACKUS ET AL.	
	Examiner	Art Unit	
	Drew E Becker	1761	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED ir or other appropriate commu IGHTS. This application is s	n this application. If not included unication will be mailed in due cours	se. THIS
1. \boxtimes This communication is responsive to <u>amendment filed Mar</u>	<u>ch 22, 2004</u> .		
2. 🔀 The allowed claim(s) is/are <u>1-15</u> .			
3. The drawings filed on are accepted by the Examine	r		
 4. Acknowledgment is made of a claim for foreign priority unally All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Applicatio	on No	rom the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the requirer	ments
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			E OF
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the deposition of the deposition o	son's Patent Drawing Review s Amendment / Comment or 84(c)) should be written on the header according to 37 CF sit of BIOLOGICAL MATE	in the Office action of the drawings in the front (not the back R 1.121(d). ERIAL must be submitted. Note the	
attached Examiner's comment regarding REQUIREMENT			
Attachment(s)			
1. ☑ Notice of References Cited (PTO-892)	5. Notice of In	formal Patent Application (PTO-152	2)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		ummary (PTO-413), Mail Date	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	/8), 7. ⊠ Examiner's	Amendment/Comment	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's	Statement of Reasons for Allowand	се
of Biological Material	9. 🔲 Other		
		Drew E Becker Primary Examiner Art Unit: 1761	

Application/Control Number: 10/039,395

Art Unit: 1761

DETAILED ACTION

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with William J. Kolegraff on April 12, 2004.

The application has been amended as follows:

Claim 1, line 17 delete "are" and insert --air--.

Claim 15 delete "80" and insert -70--.

Allowable Subject Matter

- 1. Claims 1-15 are allowed.
- 2. The following is an examiner's statement of reasons for allowance: the cooking device of independent claim 1 defines over the prior art of record since the prior art does not teach, suggest, nor render obvious an adjustable vent between the air introduction fan and the cool-air hole controlling the amount of cool outside air drawn in, and a temperature adjustor coupled to the adjustable vent.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."



Application/Control Number: 10/039,395

Art Unit: 1761

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Seelbach [Pat. No. 3,747,513], Taranik [Pat. No. 2,832,278], Oyler [Pat. No. 3,041,959], and Field [Pat. No. 3,712,819] teach devices with adjustable air inlets.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Drew E Becker whose telephone number is 571-272-1396. The examiner can normally be reached on Mon.-Thur. 8am-5pm and every other Fri. 8am-4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Milton Cano can be reached on 571-272-1398. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Drew E Becker Primary Examiner

Art Unit 1761